

For Goods Offered From Within the Philippines

Name of Bidder _____

Invitation to Bid³ Number _____

Page _____ of _____

1	2		3	4	5	6	7	8	9	10
Item	Description	Unit	Country of origin	Quantity	Unit price exw per item	Transportation and Insurance and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
1	ECG Machine with 4 limbs & 6 chest electrodes									
	Standard Features:									
	with 10 leads ecg cable, with built in rechargeable battery (Li-ion Battery or Nickle Metal Hydrate battery, with thermal paper as recorder, with atleast 320x240 pixels LCD Screen									
	Voltage Supply: 230Vac ±5%, 50Hz or 60Hz									
	Warranty: atleast one (1) year for parts and services (including preventive maintenance and calibration)									
2	LARYNGOSCOPE 3 BLADES (Size: 4,5,6) FIBER OPTIC									
	- powered by C type battery									
	- warranty: atleast six (6) months									
3	Infusion Pump (Portable)									
	Standard Features:									
	compatible to any infusion set with free flow protection									
	with drip sensor, with alarms, & with internal battery									
	with handle									
	can change the flow rate while infusing									
	with atleast 3.2" display									
	can record atleast 2000 history									
	Voltage Supply: 230Vac ±5%, 50Hz or 60Hz									
	Warranty: atleast one (1) year on parts and services. (including Preventive Maintenance and Calibration)									
4	CENTRAL PATIENT MONITORING SYSTEM WITH 10 PATIENT MONITORS									
	PATIENT MONITOR (10 units)									
	Standard Features for Patient Monitor:									
	with atleast 12" LCD Display									
	With the following parameters: ECG, Temperature, Resp, NIBP, SPO2									
	Touch Screen Operation									

For Goods Offered From Within the Philippines

Name of Bidder _____

Invitation to Bid³ Number _____

Page _____ of _____

1	2		3	4	5	6	7	8	9	10
Item	Description	Unit	Country of origin	Quantity	Unit price exw per item	Transportation and Insurance and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
	Color Coded alarm for crisis, warning and advisory									
	With wall mount support									
	with Arrhythmia analysis									
	Voltage Supply: 230Vac ±5%, 50Hz or 60Hz									
	with UPS									
	With quarterly preventive maintenance (every 3 months) within atleast 2 years									
	With atleast one (1) year warranty on parts and atleast two (2) years on service									
	CENTRAL PATIENT MONITORING SYSTEM (MONITOR) (1 unit)									
	Standard Features for Central Patient Monitoring System (Monitor):									
	With installed software for Central Monitoring System includes:									
	Operation Manual									
	Service Manual									
	Keyboard									
	Mouse									
	with Speaker									
	Power Cord									
	Extension Cord Surge Protector									
	USB Extension									
	screen size: atleast 24 inches									
	with wall mount bracket									
	with ECG Tracing Printer (inclusion of 10 rolls ECG Tracing Paper)									
	can be connected to atleast ten (10) Patient Monitors									
	with 16 Port Hub									
	with UPS									
	Voltage Supply: 230Vac ±5%, 50Hz or 60Hz									

For Goods Offered From Within the Philippines

Name of Bidder _____

Invitation to Bid³ Number _____

Page _____ of _____

1	2		3	4	5	6	7	8	9	10
Item	Description	Unit	Country of origin	Quantity	Unit price exw per item	Transportation and Insurance and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
	With quarterly preventive maintenance (every 3 months) within atleast 2 years									
	With atleast one (1) year warranty on parts and atleast two (2) years on service									
5	DEFIBRILLATOR									
	Specification:									
	Cardioversion									
	With Built-in Battery Pack									
	With AVR									
	With provision of trolley with basket									
	With Integral Thermal Printer (inclusion of 10 rolls Thermal Paper)									
	Voltage Supply: 230Vac ±5%, 50Hz or 60Hz									
	With quarterly preventive maintenance (every 3 months) within atleast 2 years									
	With atleast one (1) year warranty on parts and atleast two (2) years on service									
6	MECHANICAL VENTILATOR									
	Specifications:									
	with Touch Screen Display atleast 12"									
	Trolley mounting type									
	with Turbine									
	O2 pressure gauge									
	Heater base									
	with AVR									
	includes per unit									
	air supply pressure hose (air hose is inside the machine)									
	Bacterial Filter, Disposable									
	Flow Sensor, (built-in)									
	Oxygen Sensor (built in)									
	Oxygen Pressure hose (built in)									
	Circuit hanger									

For Goods Offered From Within the Philippines

Name of Bidder _____

Invitation to Bid³ Number _____

Page _____ of _____

1	2		3	4	5	6	7	8	9	10
Item	Description	Unit	Country of origin	Quantity	Unit price exw per item	Transportation and Insurance and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
	Support Arm Bracket									
	Humidifying Chamber Adult									
	Heater Bracket									
	Extension Cord									
	Test lung, Adult									
	Adult Ventilator Circuit Disposable									
	Voltage Supply: 230Vac ±5%, 50Hz or 60Hz									
	With quarterly preventive maintenance (every 3 months) within atleast 2 years									
	With atleast one (1) year warranty on parts and atleast two (2) years on service									
	Standard Requirements:									
	Current and valid certificate of Manufacturer's compliance with ISO									
	Original Brochure									
	User's Manual in English Language is included									
	Operation's Manual 2 copies									
	Service Manual 1 copy									
7	Negatoscope (Double)									
	with Flourescent Illuminator									
	Made of metal with white paint or stainless steel.									
	High color temperature									
	Size: atleast L:30 x W: 3" x H: 20"									
	Voltage Supply: 230Vac ±5%, 50Hz or 60Hz									
	With atleast three (3) months warranty on parts and services									